


In accordance with 37 CFR § 1.121, please substitute the following rewritten versions of the same claims, as amended. The changes are shown explicitly in the attached "Marked Up Version Showing Changes Made."




Please amend claims 8 – 15 as follows:

8. (Amended) An indolinone compound having a structure set forth in formula (II):



wherein:

- (a) R_{11} - R_{14} are hydrogen;
- (b) R_{15} and R_{16} are each independently selected from the group consisting of hydrogen, optionally substituted alkyl, and optionally substituted aryl, or R_{15} and R_{16} taken together with the nitrogen atom to which they are attached form a ring structure selected from the group consisting of a five-membered or six-membered heteroaromatic ring, a five-membered or six-membered heteroaliphatic ring, a nine-membered fused bicyclic heteroaromatic ring, and a ten-membered fused bicyclic heteroaromatic ring; and
- (c) A is selected from the group consisting of formula (III), (IV), and (V):



wherein:

- (i) R_{19} - R_{25} and R_{27} - R_{31} are hydrogen;
- (ii) R_{17} and R_{18} are each independently selected from the group consisting of hydrogen, optionally substituted alkyl, and optionally substituted alkoxy provided that both R_{17} and R_{18} are not hydrogen; and

(iii) R₂₆ is selected from the group consisting of optionally substituted alkyl; or a pharmaceutically acceptable salt thereof.

9. (Amended) The compound of claim 8, wherein:

(i) R₁₅ is hydrogen or alkyl;

(ii) R₁₆ is hydrogen, alkyl, phenyl, wherein said phenyl group is optionally substituted with one or two substituents selected from halo or unsubstituted lower alkyl; or R₁₅ and R₁₆ together with the nitrogen to which they are attached form 2,3-dihydroindol-1-yl, 2,3-dihydro-2H-quinolin-1-yl, or 2,3-dihydro-2H-isoquinolin-2-yl ring wherein said rings are optionally substituted with halo or alkyl;

(iii) R₁₇ is hydrogen, methyl, or methoxy;

(iv) R₁₈ is selected from the group consisting of lower alkoxy substituted with heteroalicyclic; and

(v) A is group of formula III.

10. (Amended) The compound of claim 8, wherein:

(i) R₁₅ is hydrogen or methyl;

(ii) R₁₆ is hydrogen, methyl, isopropyl, phenyl, 3-chlorophenyl, or 4-chloro-2-fluorophenyl, or R₁₅ and R₁₆ together with the nitrogen atom to which they are attached form 2,3-dihydroindol-1-yl, 2,3-dihydro-2H-quinolin-1-yl, 5-bromo-2,3-dihydro-2H-quinolin-1-yl, or 2,3-dihydro-2H-isoquinolin-2-yl;

(iii) R₁₇ is selected from the group consisting of hydrogen, methyl, and methoxy; and

(iv) R₁₈ is selected from the group consisting of hydrogen, 2-pyrrolidin-1-yl-ethoxy and 2-morpholin-4-yl-ethoxy;

11. (Amended) The compound of claim 8, wherein:

(i) R₁₅ is hydrogen or alkyl;

(ii) R₁₆ is hydrogen, alkyl, phenyl optionally substituted with one or two substituents selected from halo or unsubstituted lower alkyl; or

(iii) R₁₅ and R₁₆ together with the nitrogen to which they are attached form 2,3-dihydroindol-1-yl, 2,3-dihydro-2H-quinolin-1-yl, or 2,3-dihydro-2H-isoisoquinolin-2-yl ring wherein said rings are optionally substituted with halo or alkyl;

(iv) R₂₆ is selected from the group consisting of optionally substituted alkyl; and

(v) A is group of formula IV.

12. (Amended) The compound of claim 8, wherein:

(i) R₁₅ is hydrogen or methyl;

(ii) R₁₆ is hydrogen, methyl, isopropyl, phenyl, 3-chlorophenyl, or 4-chloro-2-fluorophenyl, or R₁₅ and R₁₆ together with the nitrogen atom to which they are attached form 2,3-dihydroindol-1-yl, 2,3-dihydro-2H-quinolin-1-yl, 5-bromo-2,3-dihydro-2H-quinolin-1-yl, or 2,3-dihydro-2H-isoisoquinolin-2-yl; and

(iii) R₂₆ is methyl.

13. (Amended) The compound of claim 8, wherein:

(i) R₁₅ is hydrogen or alkyl;

(ii) R₁₆ is hydrogen, alkyl, phenyl optionally substituted with one or two substituents selected from halo or unsubstituted lower alkyl; or R₁₅ and R₁₆ together with the nitrogen to which they are attached form 2,3-dihydroindol-1-yl, 2,3-dihydro-2H-quinolin-1-yl, or 2,3-dihydro-2H-isoisoquinolin-2-yl ring wherein said rings are optionally substituted with halo or alkyl; and

(iii) A is group of formula V.

14. (Amended) The compound of claim 8, wherein:

(i) R₁₅ is hydrogen or methyl; and

(ii) R₁₆ is hydrogen, methyl, isopropyl, phenyl, 3-chlorophenyl, or 4-chloro-2-fluorophenyl, or R₁₅ and R₁₆ together with the nitrogen atom to which they are attached form 2,3-dihydroindol-1-yl, 2,3-dihydro-2H-quinolin-1-yl, 5-bromo-2,3-dihydro-2H-quinolin-1-yl, or 2,3-dihydro-2H-isoisoquinolin-2-yl; and

(iii) A is group of formula V.

15. (Amended) A compound selected from the group consisting of:

2-oxo-3-[5-(2-pyrrolidin-1-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2,3-dihydro-1*H*-indole-5-sulfonic acid amide,
 3-[5-(2-morpholin-4-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid amide,
 2-oxo-3-[5-(2-pyrrolidin-1-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2,3-dihydro-1*H*-indole-5-sulfonic acid methylamide,
 2-oxo-3-[5-(2-pyrrolidin-1-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2,3-dihydro-1*H*-indole-5-sulfonic acid dimethylamide,
 2-oxo-3-[5-(2-pyrrolidin-1-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2,3-dihydro-1*H*-indole-5-sulfonic acid isopropylamide,
 2-oxo-3-[5-(2-pyrrolidin-1-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2,3-dihydro-1*H*-indole-5-sulfonic acid phenylamide,
 5-(2,3-dihydro-indole-1-sulfonyl)-3-[5-(2-pyrrolidin-1-yl-ethoxy)-1*H*-indol-2-ylmethylene]-1,3-dihydro-indol-2-one,
 2-oxo-3-[5-(2-pyrrolidin-1-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2,3-dihydro-1*H*-indole-5-sulfonic acid (3-chloro-phenyl)-amide,
 2-oxo-3-[5-(2-pyrrolidin-1-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2,3-dihydro-1*H*-indole-5-sulfonic acid (3-chloro-phenyl)-methyl-amide,
 2-oxo-3-[5-(2-pyrrolidin-1-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2,3-dihydro-1*H*-indole-5-sulfonic acid (4-chloro-2-fluoro-phenyl)-amide,
 5-(3,4-dihydro-2*H*-quinoline-1-sulfonyl)-3-[5-(2-pyrrolidin-1-yl-ethoxy)-1*H*-indol-2-ylmethylene]-1,3-dihydro-indol-2-one,
 5-(3,4-dihydro-1*H*-isoquinoline-2-sulfonyl)-3-[5-(2-pyrrolidin-1-yl-ethoxy)-1*H*-indol-2-ylmethylene]-1,3-dihydro-indol-2-one,
 5-(5-bromo-2,3-dihydro-indole-1-sulfonyl)-3-[5-(2-pyrrolidin-1-yl-ethoxy)-1*H*-indol-2-ylmethylene]-1,3-dihydro-indol-2-one,
 3-[5-(2-morpholin-4-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid methylamide,
 3-[5-(2-morpholin-4-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid dimethylamide,

3-[5-(2-morpholin-4-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid isopropylamide,

3-[5-(2-morpholin-4-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid phenylamide,

5-(2,3-dihydro-indole-1-sulfonyl)-3-[5-(2-morpholin-4-yl-ethoxy)-1*H*-indol-2-ylmethylene]-1,3-dihydro-indol-2-one,

3-[5-(2-morpholin-4-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid (3-chloro-phenyl)-amide,

3-[5-(2-morpholin-4-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid (3-chloro-phenyl)-methyl-amide,

3-[5-(2-morpholin-4-yl-ethoxy)-1*H*-indol-2-ylmethylene]-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid (4-chloro-2-fluoro-phenyl)-amide,

5-(3,4-dihydro-2*H*-quinoline-1-sulfonyl)-3-[5-(2-morpholin-4-yl-ethoxy)-1*H*-indol-2-ylmethylene]-1,3-dihydro-indol-2-one,

5-(3,4-dihydro-1*H*-isoquinoline-2-sulfonyl)-3-[5-(2-morpholin-4-yl-ethoxy)-1*H*-indol-2-ylmethylene]-1,3-dihydro-indol-2-one,

5-(5-bromo-2,3-dihydro-indole-1-sulfonyl)-3-[5-(2-morpholin-4-yl-ethoxy)-1*H*-indol-2-ylmethylene]-1,3-dihydro-indol-2-one,

3-(1*H*-indol-3-ylmethylene)-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid amide,

3-(2-methyl-1*H*-indol-3-ylmethylene)-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid amide,

3-(1*H*-indol-5-ylmethylene)-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid amide,

3-(1*H*-indol-3-ylmethylene)-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid methylamide,

3-(2-methyl-1*H*-indol-3-ylmethylene)-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid methylamide,

3-(1*H*-indol-5-ylmethylene)-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid methylamide,

3-(1*H*-indol-2-ylmethylene)-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid methylamide,

3-(1*H*-indol-3-ylmethylene)-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid dimethylamide,

3-(2-methyl-1*H*-indol-3-ylmethylene)-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid dimethylamide,

3-(1*H*-indol-5-ylmethylene)-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid dimethylamide,

3-(1*H*-indol-2-ylmethylene)-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid dimethylamide,